

POOL INSPECTION CHECKLIST (NSW)

Pools Built/Installed After 01/05/2013

POOL FENCE		
Is your pool fence at least 1200mm high all the way around the pool area? If a boundary fence forms part of the pool fence, it must be at least 1800mm high?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Are the gaps between the bottom of the fence and the ground no greater than 100mm?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
No potential hand holds or foot holds within 900mm of the top of the pool fence in any direction?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Are the gaps between the pool fence vertical rails or bars no greater than 100mm apart?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If your pool fence has mesh or perforated material, are the holes no greater than 13mm?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Is your pool fence in good repair and fixed securely, with no damages?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
POOL GATES		
Does the pool gate open outwards away from the pool?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Does the pool gate self-close and self-latch from all open positions? The gate latch must be working well so that the gate is secure and, once closed, can't be pulled open.	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If gate latch is on the outside, is the latch lever at least 1500mm above ground level?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If gate latch is on the inside, is the latch lever at least 1200mm above ground level and at least 150mm below the top of the gate?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Are you aware that it is dangerous and against the law to prop the gate open?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
OTHER		
No climbable objects within 900mm on the outside and 300mm on the inside?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Is there a compliant CPR sign which can be easily read from a distance of 3 metres?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
If a wall forms part of the barrier, there are no openings greater than 100mm?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Windows in the pool area fitted with security screens or open no greater than 100mm?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
Your pool fence must be clear of any objects such as BBQs, trees, rocks, shrubs and deckchairs that could help a small child climb over the fence?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

The above checklist is to be used as a guide only. Please contact My Pool Safety Inspector for any specific advice you may require before your pool inspection.